


**A SKILLED HAND  
FEELS THE GOOD TOOL**


**Berg**  
TOOLS

FACTORY SALES OFFICE:  
SANDVIK SAW & TOOL  
DIVISION OF SANDVIK STEEL, INC.  
47 Warren Street  
New York 7, N. Y.

You can always rely upon  
a tool with this trade mark



**Berg**  
**Pliers**



**E. A. BERGS FABRIKS AKTIEBOLAG**

**E. A. BERG MFG. CO. LTD.  
ESKILSTUNA • SWEDEN**



## What are the cutting capacities of Berg Pliers?

This table shows the diameters of wire, that can be cut with Berg Pliers.

All dimensions are given in Old Birmingham or Stubs Iron Wire Gauge (B. W. G.).

B. W. G. as compared to millimetres:

No. 19	1.067 mm	No. 15	1.829 mm	No. 12	2.769 mm		
No. 18	1.245 mm	No. 14	2.108 mm	No. 11	3.048 mm	No. 8	4.191 mm
No. 17	1.473 mm	No. 13	2.413 mm	No. 10	3.404 mm	No. 6	5.156 mm

No.	Will cut	4"	4 1/2"	5"	5 1/2"	6"	6 1/2"	7"	7 1/2"	8"	8 1/2"	9"	9 1/2"	10"	11"	12"	12 1/2"
514	Hard steel wire					11				11					11		
515	Piano wire																
516	Hard steel wire										8		8				
516	Piano wire										11		11				
522	Hard steel wire	17	17	15	15	14		14		13							
523	" " "	17	17	15	15	14		14		13							
525	" " "			19													
526	" " "	17	15	15	14	14		13		12							
527	Piano wire			14		13		11		11							
539	Iron wire											11					
541	" "					14		14		13		13		11	11	11	
543	" "													13	11		
543 G	" "													11	11		
545	" "															13	
547	" "											13					
590	Hard steel wire			18		17		17									
595	" " "			17		14		14		13							
596	" " "			17		14		14		13							
597	" " "			17		15		14		13		13					
598	" " "			14		13		12		11							
613	Iron wire							11									
614	" "							11									
616	Hard steel wire				15				14								
617	Iron wire							11									
696	Hard steel wire					13		12		11		11					
697	" " "							12		11							
1508	" " "							11									
1518	Piano wire													11	10		
1519	" "													11			
1525	Hard steel wire	15	15	14	14			13		12							
1528	Piano wire	17		14			13		11								
1529	Hard steel wire						17										
1529	Iron wire						13										
1590	Hard steel wire			18		17		17									
1590 B	" " "									14							
2528	" " "						13		12								
2559	" " "																8
2559	Iron wire																6
2559 P	Piano wire																8
No.	Will cut	18"			24"			30"			36"			42"			
1559	Ø bolts up to	5/16"			3/8"			1/2"			5/8"			3/4"			
1559 CS	Ø bolts up to	5/16"			3/8"			1/2"			5/8"						
1559 VS	Ø bolts up to				5/16"												
1559 TS	Ø bolts up to	5/16"			3/8"			1/2"									
1559 W	Ø bolts up to				3/8"			1/2"									

## Multi-Power Eccentric Nippers


No. 515

Length: 6" 8"

With of jaws:

7/8", 1 1/16"


(22, 27 mm) resp.




No. 515A is supplied with jaws, that are only 5/16" (8 mm) wide, and is specially designed for cutting off the cycle wheel spokes.

No. 516

Length: 8 1/2" 9 1/2"




## Cutting Nippers With Plain Shanks And Action




No. 1518

Length: 9" 10"



No. 1519


Length: 9"



No. 514

Length: 11 1/2"

## Top-Cutting Nippers



No. 522

Length: 4" 4 1/2" 5"  
5 1/2" 6" 7" 8"


No. 523

Length: 4" 4 1/2" 5"  
5 1/2" 6" 7" 8"

No. 527

Length: 5" 6" 7" 8"


## Plasterers' Nippers



No. 539

Length: 9"

## Tinmen's Pincers



No. 545

Length: 12"

## Tile Pincers




No. 546

Length: 8"

*Berg*


## Pincers



No. 541

Length: 6" 7" 8" 9" 10" 11" 12"

## Side-Cutting Nippers




No. 526

Length: 4" 4 1/2" 5" 5 1/2" 6" 7" 8"


No. 526 With insulated shanks

Length: 4 1/2" 5" 6"




No. 1525

Length: 4 1/2" 5" 5 1/2" 6" 7" 8"



No. 1525 With insulated shanks


Length: 4 1/2" 5" 6"




*Berg*



## Side-Cutting Nippers




No. 1508  
Length: 7"



No. 1528  
Length: 4 1/2" 5 1/2" 6 1/2" 7 1/2"




No. 2528  
Length: 6 1/2" 7 1/2"




No. 525  
Length: 5"

The cutting edges  
are extra thin.




No. 1529  
Length: 6 1/2"

## Flat Nose Pliers



No. 530  
Length: 4" 4 1/2" 5" 5 1/2" 6" 7" 8"



No. 531  
Length: 4" 4 1/2" 5" 5 1/2" 6" 7" 8"

## Fencing Pliers



With 3 wire cutting  
slots




With 2 wire cutting  
slots




With round-  
headed rivet


No. 534  
Length: 6" 7" 8" 8" (Extra strong) 9"



With 3 wire cutting  
slots




With 3 wire cutting  
slots, lengthwise  
channel for wire,  
crosswise slot for  
wire and toothed  
jaws for pipes




With 3 wire cutting  
slots, cross toothing  
of the jaws and  
rounded slots for  
gripping pipes

No. 1534  
Length: 10" 11" 12"


## Flat And Round Nose Pliers



No. 533  
Length: 5" 6" 7"




No. 2533  
Length: 5" 6" 7" 8"




No. 2533 B  
Length: 8"

## Flat Nose Pliers With Semi-Round Jaws And Wire-Cutters



No. 590  
Length: 5" 6" 7"



No. 1590  
Length: 5" 6" 7"




No. 1590 B  
Length: 8"

*Berg*


*Berg*

**Flat And Round Nose Pliers  
With Semi-Round Pointed Jaws**


**No. 1532**  
Length: 6"



**No. 1533**  
Length: 6"




**No. 1631**  
Length: 5 1/2"




*Berg*

**Parallel Action Pliers**




**No. 538**  
Length: 6"

**Round Nose Pliers**



**No. 5030**  
Length: 4" 4 1/2" 5" 5 1/2" 6" 7" 8"




**No. 5031**  
Length: 4" 4 1/2" 5" 5 1/2" 6" 7" 8"

*Berg*




## Watchmakers' Nippers And Pliers

### Top-Cutting Nippers




No. 522  
Length: 4" 5" 6"




No. 523  
Length: 4" 5" 6"

### Side-Cutting Nippers



No. 526  
Length: 4" 5" 6"




No. 1525  
Length: 4 1/2" 5" 6"


*Berg*

## Watchmakers' Nippers And Pliers

### Flat Nose Pliers With Semi-Round, Pointed Jaws




No. 1520  
Length: 4" 4 1/2"



No. 1521  
Length: 4" 4 1/2"

### Round Nose Pliers





No. 5020  
Length: 4" 4 1/2"

*Berg*

## Weavers' Pliers

### Needle Pliers

No. 1570  
Length: 6"




No. 1572  
Length: 7"




### Reed Dent Pliers


No. 1571  
Length: 6"




## Telephone Or Linemen's Pliers




No. 595 A  
Length: 5" 6" 7" 8"




No. 595  
Length: 5" 6" 7" 8"



No. 596  
Length: 5" 6" 7" 8"




No. 598  
Length: 5" 6" 7" 8"



No. 696  
Length: 6" 7" 8" 9"

With or without  
wire twister




No. 697  
Length: 7" 8"


With or without  
wire twister



## Splicing Pliers For Telephone Lines




No. 568  
Length: 7"




No. 570  
Length: 7 1/2"

## Combination Pliers




No. 597  
Length: 5" 6" 7" 8" 9"



No. 597 With insulated shanks  
Length: 5" 6" 7" 8" 9"

*Berg*


## Wire Insulation Removers



Supplied for B. W. G. Nos.  
23 and 20 (.6 and .9 mm) wire

No. 636  
Length: 5 3/4"

## Kuhlo Pliers




No. 901 Single bowl  
With or without spring




No. 903  
Dimension: 3/8" 7/16" 1/2" 5/8" 7/8"

*Berg*

## Motorcar Pliers With Slip Joint




No. 613  
Length: 7"



No. 614  
Length: 7"



No. 616  
Length: 5 1/2" 7 1/2"




No. 617  
Length: 7"


*Berg*

## Motorcar Pliers With Slip Joint

No. 618  
Length: 6" 8"



Ignition Pliers  
No. 631  
Length: 4 1/2"




Nut And Pipe Pliers  
No. 632  
Length: 9"




## Fuse Cord Pliers

No. 566  
Length: 5 1/2"




No. 567  
Length: 6"




*Berg*



## Gas Pliers



No. 605  
Length: 6"




No. 615  
Length: 6" 7" 8" 9" 10"

## Tube Pliers




No. 611  
Length: 7"




No. 612  
Length: 7" 10" 12" 14"

*Berg*

## Farriers' Tools Shoeing Pincers




No. 543  
Length: 10" 11"




No. 543 G  
Length: 10" 11"




The cutting edges are  
slightly curved




With straight - bevelled  
cutting edges on special  
request



No. 543 is in the first place used  
in order to remove the old horse  
shoe. These pincers therefore have  
a wide gap and depth between the  
jaws and the cutting edges, so that  
they can be inserted in the crack  
between hoof and shoe.



No. 543 G is used for clinching  
and cutting off the nail close to the  
hoof. The distance (B) is shorter  
than that by No. 543.




No. 547  
Length: 9"

*Berg*


## Bolt Clippers

Berg Bolt Clippers are wholly drop-forged




No. 1559

Length: 18" 24" 30"  
36" 42"



No. 1559 TS

With top-cutting edges  
Length: 18" 24"




No. 1559 W

For cutting wire rope  
Length: 24" 30"

Also manufactured, Nos. 1559 CS With Centre-Cutting Edges Length: 18" 24" 30" 36"  
1559 VS With Diagonal Cutting Edges Length: 24"

## ... With Pressed Steel Plate Shanks



No. 2559


Length: 12 1/2"

A very handy and light bolt clipper  
No. 2559 P With special hardened jaws  
for cutting piano wire

*Berg*


## Bolt And Nut Clippers

Swedish Patent No. 80,545




No. 3640

Length: 14"




Standard Jaws

Cuts bolts of common soft  
iron up to 3/8" and nuts up  
to 5/16"




Medium Jaws

Cuts hard steel wire,  
chrome-nickel wire and  
stainless materials up to the  
size of 1/4"



Hard Jaws

Cuts snow chains up to 1/4"



The illustration shows the bolt clipper  
in action. A bolt is being easily cut off  
underneath the chassis of a motorcar.

*Berg*



## Plate Shears

Tinmen's Snips

No. 580


Length: 8" 9" 10" 11"  
12" 13" 14"



Hole Shears

No. 582

Length: 12"



Pattern Shears

No. 583

Length: 11"



Common Plate Shears


No. 585

Length: 10" 11" 12" 13"  
14"

10", 12" and 14"  
are supplied in  
both right and  
left patterns



## Centre Punches




No. 998

Length: 5" 6" 7"

## Punches


### Hole Punches



No. 1000


Length: 5" 6" 7" 8"

## Cold Chisels



No. 1001


Length: 5" 6" 7" 8"



No. 1004


Length: 4" 5" 6" 7" 8"

## Hand Vices



No. 700

Length:  $4\frac{3}{8}$ " 5"  $5\frac{1}{2}$ "



No. 701

Length: 4" 5" 6"

*Berg*

also manufacture

Plane Irons  
Wood Chisels  
Gouges  
Hole Punches  
Shoemakers' Knives  
Rubber Knives  
Leather Knives  
Leather Pincers  
Gardening Shears  
Butchers' Knives  
Household Knives etc.

all of the well-known Shark-brand  
quality

*Berg*

BERG TOOLS are fully guaranteed against  
defects in workmanship and material



PARKWAY 4-0039

***Sandvik Saw & Tool***

Division of Sandvik Steel, Inc.

IMPORTERS SWEDISH QUALITY TOOLS

1702 NEVINS ROAD, FAIR LAWN, N. J.

A. C. GRANUM

5108 - 26TH AVENUE SO.  
MINNEAPOLIS, MINN.